

<b>VA-050322-DTEL - PRICING</b>		
<b>Billable Item</b>	<b>Unit of Measure</b>	<b>Rate (\$)</b>
1. Installation, termination and testing of horizontal Category 5e & Category 6 copper cabling, including cost of incidental materials ( J-supports, cable ties, cable management and routing hardware, jumper wire, etc.), per hour	HR	40.00
2. Category 5e cable (cable only), plenum-rated, per foot	FT	0.1598
3. Category 5e cable (cable only), non-plenum-rated, per foot	FT	0.0594
4. Category 5e UTP patch panel, 12 ports	EA	62.93
5. Category 5e UTP patch panel, 24 ports	EA	101.20
6. Category 5e UTP patch panel, 48 ports	EA	172.48
7. Category 5e outlet/connector, including bezels or other miscellaneous mounting hardware required to mount in faceplate	EA	3.48
8. Category 5e UTP patch cord, 1 meter	EA	1.23
9. Category 5e UTP patch cord, 2 meters	EA	1.99
10. Category 5e UTP patch cord, 3 meters	EA	2.48
11. Category 5e UTP patch cord, 5 meters	EA	3.38
12. Category 6 cable (cable only), plenum-rated, per foot	FT	0.3094
13. Category 6 cable (cable only), non-plenum-rated, per foot	FT	0.1238
14. Category 6 UTP patch panel, 12 ports	EA	86.24
15. Category 6 UTP patch panel, 24 ports	EA	137.98
16. Category 6 UTP patch panel, 48 ports	EA	274.39
17. Category 6 UTP patch cord, 1 meter	EA	2.48
18. Category 6 UTP patch cord, 2 meters	EA	3.63
19. Category 6 UTP patch cord, 3 meters	EA	4.49
20. Category 6 UTP patch cord, 5 meters	EA	5.44
21. Category 6 outlet/connector, including bezels and other miscellaneous mounting hardware required to mount in faceplate	EA	5.49
22. Single-gang faceplate, including blanks for unused ports, screws and all hardware required to mount to box or mounting bracket	EA	0.88
23. Double-gang faceplate, including blanks for unused ports, screws and all hardware required to mount to box or mounting bracket	EA	2.48
24. Single-gang mounting bracket, including all hardware required to flush-mount to existing sheetrock wall	EA	1.12
25. Double-gang mounting bracket, including all hardware required to flush-mount to existing sheetrock wall	EA	1.40
26. Installation, termination and testing of fiber optic cabling and innerduct, including cost of incidental materials (J-supports, cable ties, cable routing hardware, etc.), per hour	HR	45.00
27. Plenum-rated innerduct (duct only), per foot	FT	2.44

<b>VA-050322-DTEL - PRICING</b>		
<b>Billable Item</b>	<b>Unit of Measure</b>	<b>Rate (\$)</b>
28. 568SC fiber optic connector or other approved duplex Small Form Factor connector	EA	3.44
29. 6-fiber plenum-rated 62.5/125 micron optical fiber cable (cable only), per foot	FT	0.7125
30. 12-fiber plenum-rated 62.5/125 micron optical fiber cable (cable only), per foot	FT	1.2625
31. 24-fiber plenum-rated 62.5/125 micron optical fiber cable (cable only), per foot	FT	3.20
32. 6-fiber plenum-rated 50/125 micron laser-optimized optical fiber cable (cable only), per foot	FT	0.50
33. 12-fiber plenum-rated 50/125 micron laser-optimized optical fiber cable (cable only), per foot	FT	0.8375
34. 24-fiber plenum-rated 50/125 micron laser-optimized optical fiber cable (cable only), per foot	FT	2.85
35. Riser-rated innerduct (duct only), per foot	FT	0.6625
36. 6-fiber riser-rated 62.5/125 micron optical fiber cable (cable only), per foot	FT	0.5125
37. 12-fiber riser-rated 62.5/125 micron optical fiber cable (cable only), per foot	FT	0.925
38. 24-fiber riser-rated 62.5/125 micron optical fiber cable (cable only), per foot	FT	2.2125
39. 6-fiber riser-rated 50/125 micron laser-optimized optical fiber cable (cable only), per foot	FT	0.45
40. 12-fiber riser-rated 50/125 micron laser-optimized optical fiber cable (cable only), per foot	FT	0.8375
41. 24-fiber riser-rated 50/125 micron laser-optimized optical fiber cable (cable only), per foot	FT	2.1375
42. Fiber patch panel/cabinet, 12 port capacity, wall mount	EA	69.03
43. Fiber patch panel/cabinet, 24 port capacity, wall mount	EA	101.99
44. Fiber patch panel/shelf, 12 port capacity, rack mount	EA	89.85
45. Fiber patch panel/shelf, 24 port capacity, rack mount	EA	132.75
46. 62.5/125 micron optical fiber patch cord, duplex, 1 meter	EA	17.37
47. 62.5/125 micron optical fiber patch cord, duplex, 2 meters	EA	20.65
48. 62.5/125 micron optical fiber patch cord, duplex, 3 meters	EA	21.52
49. 62.5/125 micron optical fiber patch cord, duplex, 5 meters	EA	25.88
50. 50/125 micron laser-optimized optical fiber patch cord, duplex, 1 meter	EA	19.18
51. 50/125 micron laser-optimized optical fiber patch cord, duplex, 2 meters	EA	20.23
52. 50/125 micron laser-optimized optical fiber patch cord, duplex, 3 meters	EA	22.36

<b>VA-050322-DTEL - PRICING</b>		
<b>Billable Item</b>	<b>Unit of Measure</b>	<b>Rate (\$)</b>
53. 50/125 micron laser-optimized optical fiber patch cord, duplex, 5 meters	EA	24.95
54. Other cabling services, including cost of incidental materials (jumper wire, screws, connectors, "J" hooks, cable ties, cable routing hardware, etc.), per hour	HR	40.00
55. Category 3 backbone cable (cable only), riser-rated, 25-pair, per foot	FT	0.275
56. Category 3 backbone cable (cable only), riser-rated, 50-pair, per foot	FT	0.6125
57. Category 3 backbone cable (cable only), riser-rated, 100-pair, per foot	FT	1.05
58. Category 3 backbone cable (cable only), riser-rated, 200-pair, per foot	FT	2.31
59. Category 3 backbone cable (cable only), riser-rated, 300-pair, per foot	FT	4.36
60. Category 3 backbone cable (cable only), plenum-rated, 25-pair, per foot	FT	0.4375
61. Category 3 backbone cable (cable only), plenum-rated, 50-pair, per foot	FT	1.30
62. Category 3 backbone cable (cable only), plenum-rated, 100-pair, per foot	FT	1.9625
63. Category 3 backbone cable (cable only), plenum-rated, 200-pair, per foot	FT	5.35
64. Category 3 backbone cable (cable only), plenum-rated, 300-pair, per foot	FT	9.55
65. Category 5e cable (cable only), riser-rated, 25-pair, per foot	FT	0.925
66. Category 5e cable (cable only), plenum-rated, 25-pair, per foot	FT	3.09
67. Equipment rack, hinged, wall-mount, 35" – 48" tall, pre-drilled, 19" TIA/EIA mounting	EA	169.54
68. Equipment rack, floor standing, 7' tall, pre-drilled, 19" TIA/EIA mounting	EA	221.88
69. Equipment rack, floor standing, 3' - 4' tall, pre-drilled, 19" TIA/EIA mounting	EA	132.50
70. 66M1-50 connecting block, with hinged cover, 89D brackets and all mounting hardware	EA	7.89
71. 110 wiring block system with legs, label strips, all required mounting hardware, etc., for minimum 48 pairs	EA	23.34
72. 8-foot tall by 4-foot wide trade size ¾ AC-grade void-free plywood backboard, fire-rated or painted on all sides with at least two coats of light-colored fire-resistant paint	EA	55.00