

**VA-050322-SHCS - PRICING**

Billable Item	Unit of Measure	Rate (\$)
1. Installation, termination and testing of horizontal Category 5e & Category 6 copper cabling, including cost of incidental materials ( J-supports, cable ties, cable management and routing hardware, jumper wire, etc.), per hour	HR	40.00
2. Category 5e cable (cable only), plenum-rated, per foot	FT	0.134
3. Category 5e cable (cable only), non-plenum-rated, per foot	FT	0.05
4. Category 5e UTP patch panel, 12 ports	EA	52.86
5. Category 5e UTP patch panel, 24 ports	EA	85.00
6. Category 5e UTP patch panel, 48 ports	EA	144.88
7. Category 5e outlet/connector, including bezels or other miscellaneous mounting hardware required to mount in faceplate	EA	2.92
8. Category 5e UTP patch cord, 1 meter	EA	1.03
9. Category 5e UTP patch cord, 2 meters	EA	1.67
10. Category 5e UTP patch cord, 3 meters	EA	2.08
11. Category 5e UTP patch cord, 5 meters	EA	2.84
12. Category 6 cable (cable only), plenum-rated, per foot	FT	0.26
13. Category 6 cable (cable only), non-plenum-rated, per foot	FT	0.104
14. Category 6 UTP patch panel, 12 ports	EA	72.44
15. Category 6 UTP patch panel, 24 ports	EA	115.90
16. Category 6 UTP patch panel, 48 ports	EA	230.49
17. Category 6 UTP patch cord, 1 meter	EA	2.08
18. Category 6 UTP patch cord, 2 meters	EA	3.05
19. Category 6 UTP patch cord, 3 meters	EA	3.77
20. Category 6 UTP patch cord, 5 meters	EA	4.57
21. Category 6 outlet/connector, including bezels and other miscellaneous mounting hardware required to mount in faceplate	EA	4.61
22. Single-gang faceplate, including blanks for unused ports, screws and all hardware required to mount to box or mounting bracket	EA	0.74
23. Double-gang faceplate, including blanks for unused ports, screws and all hardware required to mount to box or mounting bracket	EA	2.08
24. Single-gang mounting bracket, including all hardware required to flush-mount to existing sheetrock wall	EA	0.93
25. Double-gang mounting bracket, including all hardware required to flush-mount to existing sheetrock wall	EA	1.18
26. Installation, termination and testing of fiber optic cabling and innerduct, including cost of incidental materials (J-supports, cable ties, cable routing hardware, etc.), per hour	HR	45.00
27. Plenum-rated innerduct (duct only), per foot	FT	2.05

<b>VA-050322-SHCS - PRICING</b>		
<b>Billable Item</b>	<b>Unit of Measure</b>	<b>Rate (\$)</b>
28. 568SC fiber optic connector or other approved duplex Small Form Factor connector	EA	2.89
29. 6-fiber plenum-rated 62.5/125 micron optical fiber cable (cable only), per foot	FT	0.60
30. 12-fiber plenum-rated 62.5/125 micron optical fiber cable (cable only), per foot	FT	1.06
31. 24-fiber plenum-rated 62.5/125 micron optical fiber cable (cable only), per foot	FT	2.69
32. 6-fiber plenum-rated 50/125 micron laser-optimized optical fiber cable (cable only), per foot	FT	0.42
33. 12-fiber plenum-rated 50/125 micron laser-optimized optical fiber cable (cable only), per foot	FT	0.70
34. 24-fiber plenum-rated 50/125 micron laser-optimized optical fiber cable (cable only), per foot	FT	2.39
35. Riser-rated innerduct (duct only), per foot	FT	0.56
36. 6-fiber riser-rated 62.5/125 micron optical fiber cable (cable only), per foot	FT	0.43
37. 12-fiber riser-rated 62.5/125 micron optical fiber cable (cable only), per foot	FT	0.78
38. 24-fiber riser-rated 62.5/125 micron optical fiber cable (cable only), per foot	FT	1.86
39. 6-fiber riser-rated 50/125 micron laser-optimized optical fiber cable (cable only), per foot	FT	0.38
40. 12-fiber riser-rated 50/125 micron laser-optimized optical fiber cable (cable only), per foot	FT	0.70
41. 24-fiber riser-rated 50/125 micron laser-optimized optical fiber cable (cable only), per foot	FT	1.80
42. Fiber patch panel/cabinet, 12 port capacity, wall mount	EA	60.90
43. Fiber patch panel/cabinet, 24 port capacity, wall mount	EA	97.65
44. Fiber patch panel/shelf, 12 port capacity, rack mount	EA	102.90
45. Fiber patch panel/shelf, 24 port capacity, rack mount	EA	149.10
46. 62.5/125 micron optical fiber patch cord, duplex, 1 meter	EA	14.58
47. 62.5/125 micron optical fiber patch cord, duplex, 2 meters	EA	17.35
48. 62.5/125 micron optical fiber patch cord, duplex, 3 meters	EA	18.07
49. 62.5/125 micron optical fiber patch cord, duplex, 5 meters	EA	21.75
50. 50/125 micron laser-optimized optical fiber patch cord, duplex, 1 meter	EA	16.11
51. 50/125 micron laser-optimized optical fiber patch cord, duplex, 2 meters	EA	16.99
52. 50/125 micron laser-optimized optical fiber patch cord, duplex, 3 meters	EA	18.78

VA-050322-SHCS - PRICING		
Billable Item	Unit of Measure	Rate (\$)
53. 50/125 micron laser-optimized optical fiber patch cord, duplex, 5 meters	EA	20.96
54. Other cabling services, including cost of incidental materials (jumper wire, screws, connectors, "J" hooks, cable ties, cable routing hardware, etc.), per hour	HR	40.00
55. Category 3 backbone cable (cable only), riser-rated, 25-pair, per foot	FT	0.23
56. Category 3 backbone cable (cable only), riser-rated, 50-pair, per foot	FT	0.51
57. Category 3 backbone cable (cable only), riser-rated, 100-pair, per foot	FT	0.88
58. Category 3 backbone cable (cable only), riser-rated, 200-pair, per foot	FT	1.94
59. Category 3 backbone cable (cable only), riser-rated, 300-pair, per foot	FT	3.66
60. Category 3 backbone cable (cable only), plenum-rated, 25-pair, per foot	FT	0.37
61. Category 3 backbone cable (cable only), plenum-rated, 50-pair, per foot	FT	1.09
62. Category 3 backbone cable (cable only), plenum-rated, 100-pair, per foot	FT	1.65
63. Category 3 backbone cable (cable only), plenum-rated, 200-pair, per foot	FT	4.49
64. Category 3 backbone cable (cable only), plenum-rated, 300-pair, per foot	FT	8.02
65. Category 5e cable (cable only), riser-rated, 25-pair, per foot	FT	0.78
66. Category 5e cable (cable only), plenum-rated, 25-pair, per foot	FT	2.59
67. Equipment rack, hinged, wall-mount, 35" – 48" tall, pre-drilled, 19" TIA/EIA mounting	EA	157.50
68. Equipment rack, floor standing, 7' tall, pre-drilled, 19" TIA/EIA mounting	EA	111.30
69. Equipment rack, floor standing, 3' - 4' tall, pre-drilled, 19" TIA/EIA mounting	EA	101.06
70. 66M1-50 connecting block, with hinged cover, 89D brackets and all mounting hardware	EA	6.63
71. 110 wiring block system with legs, label strips, all required mounting hardware, etc., for minimum 48 pairs	EA	19.60
72. 8-foot tall by 4-foot wide trade size ¾ AC-grade void-free plywood backboard, fire-rated or painted on all sides with at least two coats of light-colored fire-resistant paint	EA	50.00